

14.8.3.12 CHAPTER 4

DESIGN, MATERIALS, AND METHODS OF CONSTRUCTION: See this section of the USPSHTC except as provided below.

A. 403.3 Markings.

Delete this section of the USPSHTC.

B. 403.4 Maximum bather load.

Delete this section of the USPSHTC.

C. 404.0 Wading pools.

See this section of the USPSHTC except as provided below.

(1) 404.1

General. Delete this section of the USPSHTC.

(2) 404.2 Gates.

Delete this section of the USPSHTC.

(3) 404.5

Markings. Delete this section of the USPSHTC.

D. 405.0 General.

See this section of the USPSHTC except as provided below.

(1) 405.5

Maximum bather load. Delete this section of the USPSHTC.

(2) 405.9

Handholds. Delete this section of the USPSHTC.

(3) 405.10

Markings. Delete this section of the USPSHTC.

E. 406.0 General. Delete this section of the USPSHTC.**F. 407.0 Toilet facilities.**

Delete this section of the USPSHTC and see NMAC 14.6.6.

G. 408.0 Access to fixtures.

Delete this section of the USPSHTC and see NMAC 14.6.6.

H. 416.0 Lighting

protection systems. Delete this section of the USPSHTC.

I. 417.0 Decks.

Delete this section of the USPSHTC.

[14.8.3.12 NMAC - N, 05/01/15]

14.8.3.13 CHAPTER 5 WATER

QUALITY: See this section of the USPSHTC.

[14.8.3.13 NMAC - N, 05/01/15]

14.8.3.14 CHAPTER 6

EQUIPMENT: See this section of the USPSHTC except as provided below.

A. 603.0 Electrical

systems. Delete this section of the USPSHTC and see 14.10.4 NMAC.

B. 606.0 Diving

equipment. Delete this section of the USPSHTC.

C. 607.0 Slides.

Delete this section of the USPSHTC.

[14.8.3.14 NMAC - N, 05/01/15]

14.8.3.15 CHAPTER 7

WATER HEATING EQUIPMENT AND VENTS: See this chapter of the USPSHTC except as provided as follows: **712.2.18**

Chimneys and vents. See this section of the USPSHTC except delete the following language: "Where vents extend outdoors above the roof more than 5 feet (1524 mm) higher than required by Table 509.6.2, and where vents terminate in accordance with Section 509.6.2(1), the outdoor portion of the vent shall be enclosed as required by this section for vents not considered to be exposed to the outdoors or such venting shall be engineered."

[14.8.3.15 NMAC - Rp, 14.8.3.12 NMAC, 05/01/15]

14.8.3.16 CHAPTER 8 FUEL

GAS PIPING: See this chapter of the USPSHTC except as provided below.

A. 809.5.2.3 Copper and brass.

Delete this section of the USPSHTC and substitute: Copper and brass pipe shall not be used. Threaded aluminum alloy pipe shall not be used with gases corrosive to such material.

B. 809.5.3.2 Copper and brass.

Delete this section of the USPSHTC and substitute: Copper and brass pipe shall not be used.

C. 810.12 Electrical bonding and grounding.

Delete this section of the USPSHTC and see NMAC 14.10.4.

D. 810.13 Electrical circuits.

Delete this section of the USPSHTC and see 14.10.4 NMAC.

E. 810.14 Electrical

connections. Delete this section of the USPSHTC and see 14.10.4 NMAC.

F. 812.0 Liquefied

petroleum gas facilities and piping.

Delete this section of the USPSHTC and substitute the following: Liquefied petroleum gas facilities shall comply with 19.15.40 NMAC, liquefied petroleum gas standards, and 70-5-1 to -23 NMSA 1978, liquefied and compressed gasses.

G. 813.3 Test pressure.

See this section of the USPSHTC except add the following: Exception: An existing gas piping system may be tested at a test pressure equal to one and one-half times their operating pressure of the system, but in no case shall it be tested at less than 3 psi.

[14.8.3.16 NMAC - Rp, 14.8.3.13 NMAC, 05/01/15]

14.8.3.17 CHAPTER 9

SAFETY: Delete this chapter of the USPSHTC.

[14.8.3.17 NMAC - N, 05/01/15]

14.8.3.18 CHAPTER 10

REFERENCED STANDARDS: See this

chapter of the USPSHTC.

[14.8.3.18 NMAC - N, 05/01/15]

14.8.3.19 APPENDICES: See this section of the USPSHTC except delete appendix A and appendix C.

[14.8.3.19 NMAC - Rp, 14.8.3.15 NMAC, 05/01/15]

HISTORY OF 14.8.3 NMAC:**History of Repealed Material:**

14.8.3 NMAC, 2006 New Mexico Swimming Pool, Spa and Hot Tub Code (filed 10-27-08), repealed 11-1-2011.

14.8.3 NMAC, 2009 New Mexico Swimming Pool, Spa and Hot Tub Code (filed 09-27-11), repealed 6-28-2013.

14.8.3 NMAC, 2009 New Mexico Swimming Pool, Spa and Hot Tub Code (filed 05-29-13), repealed 5-1-15.

REGULATION AND LICENSING DEPARTMENT CONSTRUCTION INDUSTRIES DIVISION

TITLE 14 HOUSING AND CONSTRUCTION CHAPTER 9 MECHANICAL CODES PART 2 2012 NEW MEXICO MECHANICAL CODE

14.9.2.1 ISSUING AGENCY: Construction Industries Division (CID) of the Regulation and Licensing Department. [14.9.2.1 NMAC - Rp, 14.9.2.1 NMAC, 05/01/15]

14.9.2.2 SCOPE: This rule applies to all contracting work performed in New Mexico on or after May 1, 2015, that is subject to the jurisdiction of CID, unless performed pursuant to a permit for which an application was received by CID before that date.

[14.9.2.2 NMAC - Rp, 14.9.2.2 NMAC, 05/01/15]

14.9.2.3 STATUTORY

AUTHORITY: Sections 60-13-9 and 60-13-44 NMSA 1978.

[14.9.2.3 NMAC - Rp, 14.9.2.3 NMAC, 05/01/15]

14.9.2.4 DURATION:

Permanent.

[14.9.2.4 NMAC - Rp, 14.9.2.4 NMAC, 05/01/15]

14.9.2.5 EFFECTIVE DATE:

May 1, 2015, unless a later date is cited at the end of a section.

[14.9.2.5 NMAC - Rp, 14.9.2.5 NMAC, 05/01/15]